

Nikon NSR-2205i11D
i-Line Stepper
Serial Number 1105632

**Currently Configured for 200mm wafer
size MFG Date: 1997**

EQUIPMENT DETAILS:

**Tool is currently still in production.
Tool is in good condition.
Inspect to confirm configuration and condition.**

MODEL : NSR-2205i11D

SERIAL No : 1105632

WAFER STAGE : ST-78

v2.90

WAFERALIGNMENT : AL-71

v9.00 OPD : PA-71 v4.90

RETICLE LOADER : RL-04 v6.40/PI-C1

**v1.40 WAFER LOADER : WL-12 v2.30/OF-
12 v2.30 WR-12 v2.50/WLY-11 v1.30**

LENS CONTROLLER : LC-71

v7.10 TYPE : VAX STATION

4000.96

DISK DRIVER : TAPE DRIVER REMARK :

DDS3 WAFER STAGE : OK

WAFER ALIGNMENT :

OK RETICLE

ALIGNMENT : OK

WAFER LOADER : OK REMARK : TYPE3 (Left, Right,

Inline) RETICLE LOADER : OK REMARK : 9 SLOT

IN_LINE : RIGHT TYPE REMARK :

SVG90 PPD : PPD3

BACODE LEADER : YES

CHAMBER STATUS

CHAMBER TYPE : S20 REMARK :
SN:S2001152702 CHAMBER TEMP : 22.2
IATC TEMP : 22.2
LLTC TEMP :
22.21
Compressed Air(at 50 liter/min flow) REMARK : 3~7kg/cm2
Vacuum Pressure(at 50 liter/min flow)REMARK : -500mmhg or
more Process Cooling water flow rate(at 20°C) REMARK : 15
liter/min or more ATMOSPHERIC PRESSURE : 994.52 Hpa

Refrigerator pressure

High REMARK :
setpoint 1.27~1.57
Low setpoint REMARK :
0.34~0.54

NOTE:

- **Body size : 1800mm**
- **FC2 check fail**
- **Edge expose : Not use**
- **Shirinc type 3**
- **Irridiance meter: Not nikon original (OAI 358)**
- **Contol rack type : Left**
- **Machine ID : AF37003**
- **Lamp type : KXM-2011 NIF (WACOM) 2000h**
- **Tape dirver is not working**





